



ALPHACOOL – THE COOLING COMPANY



Alphacool Eisbaer 200 CPU - Black

What is it?

The Alphacool Eisbaer is an expandable, refillable CPU all-in-one watercooler with a pure copper radiator. The Eisbaer can be expanded with additional Eisbaer Ready products such as the Eiswolf GPX-Pro graphics card cooler, among others.

Highlights

- Quick connectors make it easy to expand and upgrade with Eisbaer Ready
- Pure copper radiator for maximum cooling performance
- DC-LT Ultra Low Noise ceramic pump for whisper-quiet operation
- Refillable via the fill port on the reservoir

Version: 03.03.2020

We assume no responsibility for any typing errors.

Alphacool International GmbH, Marienberger Strasse 1, 38122 Braunschweig Tel: (+49)0531 288 740 Supportmail: info@alphacool.com

Scope of delivery	
4 pcs. M3x5 4 pcs. M3x30 1 pcs. Thermal paste 4 pcs. Springs 4 pcs. 0,5 mm Waschers 4 pcs. Nuts 1 pcs. Y-Adapter 4-Pin PWM	AMD 1 pcs. Set Bracket 4 pcs. AMD Screws 4 pcs. 2,0 mm Waschers INTEL 1 pcs. Set Bracket 4 pcs. I150 Screws 4 pcs. 2011 Screws 1 pcs. Backplate

Technical data radiator	
LxWxH:	200 x 240 x 48 mm
Material:	Full copper
Threads:	2x G1/4"
Technical data pump housing:	
LxWxH:	66 x 66 x 69 mm
Material reservoir:	Transparent Nylon
Threads:	2x G1/4"

Technical data pump:	
Speed:	2600 RPM
Voltage:	7-13.5V DC
Power consumption:	4 Watt
Maximum flow rate:	75L/h
Maximum head:	0.95m

Other technical data	
Net weight	2090 g
Max working temperature	60 °C
Pressure tested	1,5 bar
Certificates	CE, FC, ROHS
Compatibility Intel	775 / 1056 / 1155 / 1150 / 1151 / 2011 / 2011-3 / 2066
Compatibility AMD	AM2 / AM2+ / AM3 / AM3+ / FM1 / FM2 / FM2+ / AM4

Product pics download	https://www.alphacool.com/download/1019173_pics.zip
------------------------------	---

Manual PDF	https://www.aquatuning.de/download/Eisbaer_neu.pdf
-------------------	---

Other data	
Article number Alphacool	11762
EAN Code	4250197117623
PU Box	1
Dimensions PU B x T x H	36,5 x 26 x 16 cm
Weight	3 kg
Customs code	84195080900

Article text

With the “Eisbaer”, Alphacool is fundamentally revolutionizing the AIO cooler market. Where traditional AIO CPU-coolers are disposable products which are neither upgradeable nor refillable, the Alphacool “Eisbaer” is modularly built and can be upgraded, rebuilt or refilled at any time. This means that the “Eisbaer” is not only an AIO, but also fully built on classic water cooling components. That means it is quieter and more powerful than the average AIO solution.

Radiator

Alphacool depends on a radiator made of pure copper. The base of the radiator is the popular Alphacool NexXoS series, which is well-loved around the world. The pure copper construction raises the cooling performance enormously compared to the usual aluminium radiators used in classic AIOs. The slight thickness of the fins ensures enormous cooling power in fans with low rotational speed. This ensures that the performance of the “Eisbaer” when adjusting the fans down decreases much more slowly than in radiators with higher fin thickness.

Hoses

The flexible PVC hoses make installing the “Eisbaer” easy. These hoses are easier to arrange and move into the right position. So the hoses don't bend and stop the flow of the water, both hoses have been fitted with anti-kink springs. The 11/8 mm size is also a standard in the water cooling field, alongside the 13/10 and 16/10.

Quick-lock closure

The “Eisbaer” was designed with expandability directly in mind. This is why you'll find a quick-lock closure on one of the hoses. This quick-lock mechanism is compatible with Alphacool HF quick-lock closures (1010383, 1010394, 1010395, 1010442), with which the circuit can easily be expanded to include anything from a radiator to a graphics card cooler. Furthermore, the “Eisbaer” is compatible with the upcoming Alphacool GPX-Pro graphics card AIO, which will use identical quick-lock closures.

Connectors

All connectors are based on the classic G1/4 inch thread, the standard thread in the water cooling field. This way, all attachments can be switched out for others any time as desired. This also means that, for example, you could later decide to switch to thicker hoses or even HardTubes and set your system uniquely apart.

All these features make the “Eisbaer” cooler into something extraordinary. Its enhanced appearance from the illuminated logo and the illuminated reservoir, which also contains the pump, lets the interior of your PC shine in a whole new way. The soft-touch surface of the pump case is a further visual highlight. With the “Eisbaer”, you get an all-around perfect product that is not only extremely high-powered but also works very quietly.

Pumps

The basis of the pumps is the Alphacool DC-LT Ceramic Ultra Low Noise, also available separately. The pump runs extremely quietly and can be regulated to between 7 and 12V. It can also be regulated through the motherboard. If the “Eisbaer” is being run alone, the 7V setting will still have next to no performance loss, as shown in diverse test results. The insulated pump case further perfects the noise generation and ensures that vibrations are almost completely absorbed.

The smooth and shiny polished copper base of the cooler ensures optimal heat absorption and can relay the heat over the fine slit structure of the cooler to the water quickly and efficiently.

To operate the Alphacool Eisbaer 200 CPU - Black at least one 200 mm fan is required. There are **NO** fans included in delivery!