

Alphacool article number: 14393

The Monsta 200 mm radiator offers space for a 200 mm fan with 154 or 165 mm mounting holes on the mounting frame. The fans are screwed onto a mounting frame which can also be removed for purely passive operation in order not to obstruct the natural airflow.

### Alphacool Radiator



- solid copper radiator
- large cooling surface
- detachable mounting frame

## Scope of delivery

- 5 x stop plugs
- 4 x M3x30 screws
- 4 x M3x8 screws
- 1 x allen key
- 1 x fan mounting bracket 200 x 200 mm (preassembled)

## Data

L x W x H	24,8 x 19,9 x 8,7 cm
Net weight	1700 g
Material cooling fins	copper
Material cooling channels	copper
Material prechamber	copper
Material outer housing	steel
Fins per Inch	12
Threads	7 x G1/4"
Thread size fan mounting	M3
Fan size	180 or 200 mm
Fan slots	2 x 185x185 mm, 1 x 165x165 mm, 1 x 155x155 mm
Pressure tested	1,5 Bar
Certificates	CE, FC, RoHS

## Download Links

Product pics	<a href="https://www.alphacool.com/download/1020328_NexXxos_Monsta_200mm_pics.zip">https://www.alphacool.com/download/1020328_NexXxos_Monsta_200mm_pics.zip</a>
--------------	---

## Packaging dimensions 1 unit

L x W x H	28 x 21 x 9,5 cm
Total weight	1990 g

## Other data

Certification	CE, FC, RoHS
EAN	4250197143936
Customs number	84195080900

We assume no responsibility for any typing errors.

### **Bigger is better... right!?**

#### **Make No Compromises, Use Copper.**

As usual, Alphacool also uses pure copper for the NexXoS Monsta 200 mm Radiator. The end chambers, water channels and cooling fins are all made of copper and are a unique selling point worldwide. As a result, Alphacool radiators have been among the most popular and best on the market for many years, providing the perfect foundation for every water cooling system.

#### **Full cooling performance**

To maximize the performance of a radiator, Alphacool reaches deep into its bag of tricks. Copper is the starting point. With a thermal conductivity of 400 W/(mK) for copper compared to 236 W/(mK) for aluminium, the winner is clear. Alongside this is the special fin density. Alphacool is one of the oldest companies in the field of water cooling and has carried out countless laboratory tests. The result, especially for such large radiators, is a fin spacing of 12 FPI. This means that the air flow is almost unobstructed as the air can pass through even without high pressure. However, the cooling capacity does not suffer from this, on the contrary. To use the airflow optimally, all cooling fins have small serrations. These are tiny flaps that guide the airflow in the desired direction and increase the surface area. In the case of radiators, they are barely 1 mm high, but still provide controlled air turbulence to increase cooling capacity and minimise airflow noise.

#### **Which fans?**

The Monsta 200 mm radiator offers space for a 200 mm fan with 154 or 165 mm mounting holes on the mounting frame. The fans are screwed onto a mounting frame which can also be removed for purely passive operation in order not to obstruct the natural airflow.

#### **Connection options**

The Alphacool NexXoS Monsta 200 mm radiator offers six G1/4" threads for IN and OUT. A further G1/4" thread on the back of the radiator serves as a fill port. Alternatively, a temperature sensor or a drain port can also be attached here.

Small was yesterday. With a cooling surface of 20 x 20 cm the 200 mm Radiator offers more than enough cooling power to cool every CPU and every graphics card.