

Alphacool article number: 18646

The EPDM tube from Alphacool's Enterprise Solutions series is characterised by its high resistance to acids, alkalis and external influences and has exceptional longevity compared to conventional PVC tubes. The matt black hose with its discreet velvet look will quickly become an eye-catcher in any water-cooled PC.

## Alphacool EPDM Tube 1 1/8 - Black 50m Roll



- Extremely resistant to acids and alkalis
- Possible working temperature up to 120 °C
- Retains its shape at high temperatures
- Durable

We assume no responsibility for any typing errors.

Alphacool International GmbH, Marienberger Strasse 1, 38122 Braunschweig Tel: (+49)0531 288 740 Supportmail: [info@alphacool.com](mailto:info@alphacool.com)

## Scope of delivery

1 x Alphacool EPDM Tube 11/8 - Black 50m Roll

## Data tube

Length	50 m
Material tube	Ethylene propylene diene rubber (EPDM, without talc)
Color	matt black
Tube size	∅ outside 11 mm / ∅ inside 8 mm (tolerances according to DIN ISO 33-02-1 E1)
Hardness grade	80° (± 5°) Shore A
Working temperature	-35° C bis +120° C

## Download Links

Product pics	<a href="https://www.alphacool.com/download/1021507_Alphacool_EPDM_Tube_11-8_Black_50m_roll_pics.zip">https://www.alphacool.com/download/1021507_Alphacool_EPDM_Tube_11-8_Black_50m_roll_pics.zip</a>
--------------	---

## Packaging dimensions 1 unit

L x W x H	52 x 35 x 14 cm
Total weight	3,04 kg

## Other data

Certificates	CE, FC, RoHS
EAN	4250197186469
Customs code	39173200900

We assume no responsibility for any typing errors.

Alphacool International GmbH, Marienberger Strasse 1, 38122 Braunschweig Tel: (+49)0531 288 740 Supportmail: [info@alphacool.com](mailto:info@alphacool.com)

## Article text

The EPDM tube from Alphacool's Enterprise Solutions series is characterised by its high resistance to acids, alkalis and external influences and has exceptional longevity compared to conventional PVC tubes. The matt black hose with its discreet velvet look will quickly become an eye-catcher in any water-cooled PC.

### **What is the advantage of EPDM?**

Compared to commercially available PVC tubing, the EPDM tube from Alphacool is significantly more temperature resistant and enables working temperatures far above 100 °C. Even at higher water temperatures, the EPDM Tube remains dimensionally stable and prevents the hose from warping at points with tighter bending radii or connections. The risk of the water loop leaking or the water flow being obstructed is thus eliminated. The high resistance to external influences makes the Alphacool EPDM tube extremely durable and long-lasting.

### **Mounting**

The Alphacool EPDM tube is slightly more dimensionally stable compared to a PVC tube. Nevertheless, it has an excellent pliability as well as flexibility for an effortless assembly even with tighter bending radii.

### **Fittings**

The EPDM tube can be used with all tube fittings (in the appropriate size) from the Alphacool Eiszapfen or HF series.