

## Alphacool Core 140mm Fan PWM 2000 (140x140x25mm)

Alphacool article number: 24853



### Quick Info

Alphacool's Core 140mm is a quiet and efficient fan with a wide control range up to 2000 rpm. The PWM controllable fan is not only suitable as a fan on CPU coolers or radiators. Due to its excellent performance values (throughput & static pressure), it can also be used as a case fan. The hydraulically mounted fan axis is smooth running and enables a long service life as well as quiet operation. If you are looking for a powerful fan without aRGB illumination, you will find it in Alphacool's Core 140mm model!

- Hydraulically mounted fan axis for quiet and efficient running
- High air flow & static pressure
- Wide, via PWM controllable speed range

### Scope of delivery

1x Alphacool Core 140mm fan PWM 2000 (140x140x25mm), black

## Technical data

Dimension (L x W x H)	140 x 140 x 25mm
Material	synthetic material (PBT UL94V-0)
Bearing Type	hydraulic Bearing
Rated Voltage	DC 12V
Operating Voltage	DC 7-14V
Start-up Voltage	7V
Rated Current	0.45 (Max: 0.5) A
Rated Power	5.4 (Max: 6.0) W
Control Range	0 - 2000 rpm/min $\pm$ 10%
Max. Air Flow	103.03 CFM
Max. Static Pressure	2.81 mm/H2O
Noise level	38.3 (Max: 40.0) dBA
Life Expectance	50000 h at 25 degrees celcius
Connection	4-Pin PWM
Speed Control Mode	via PWM
Operating Temperature	-10~+55 degrees celcius
Other Features	Tachometer Output, Auto Start, Soft Start, Waterproof Level IP22

## Download links

Product pictures	<a href="#">24853_Alphacool_Core_140mm_Fan_PWM_2000_(140x140x25mm)_pics.zip</a>
------------------	---

## Packaging dimensions per unit

L x W x H	160 x 150 x 35 mm
Weight	180 g

## Other data

Certificates	CE, FC, RoHS
EAN	4250197248532
Customs code	84145915000

## Article text

Alphacool's Core 140mm is a quiet and efficient fan with a wide control range up to 2000 rpm. The PWM controllable fan is not only suitable as a fan on CPU coolers or radiators. Due to its excellent performance values (throughput & static pressure), it can also be used as a case fan. The hydraulically mounted fan axis is smooth running and enables a long service life as well as quiet operation. If you are looking for a powerful fan without aRGB illumination, you will find it in Alphacool's Core 140mm model!

### Connections

The fan is controlled via a 4-pin PWM connector. The cable is 40cm long. This allows the fan to be connected directly to the motherboard or a dedicated controller without the use of additional adapter cables or extensions.

### Control range


The fan can be controlled from 0 to 2000 rpm via the 4-pin PWM connector. At maximum speed, it allows an airflow of 103.03 CFM combined with a high static pressure of 2.81 mm/H2O. This makes the fan perfect for mounting on radiators of a water cooling system or for ventilating a case.

## Drawing (1)

### 5. P-Q Characteristic curve test:

Test conditions and methods	
Testing Method : Constant Voltage	
Barometric Pressure: 752.4 mmHg	At Rated Voltage
Relative Humidity: 66.825%	Temperature: 25° C
test data : (Max Ps) :2.81mmAq (Max Flow Rate ) :103.03CFM	

### P-Q Curve



## Drawing (2)

