

Safety Data Sheet

according to UK REACH Regulation

Alphacool Apex Liquid Blue UV-aktiv

Revision date: 10.01.2022

Product code: 1021694

Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Alphacool Apex Liquid Blue UV-aktiv

Product group: Mixtures

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Heat transfer fluids

1.3. Details of the supplier of the safety data sheet

Company name: Alphacool International GmbH
 Tochtergesellschaft
 Street: Marienberger Str. 1
 Place: D-38122 Braunschweig
 Telephone: 0531 28874-0
 e-mail: info@alphacool.com
 Contact person: Ronald Willms
 e-mail: einkauf@aquatuning.de
 Internet: www.alphacool.com

Telefax: 0531 28874-22
 Telephone: 05207 95846-205

1.4. Emergency telephone number: +49 (0) 6131 19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity
	EC No Index No REACH No	
	Classification (GB CLP Regulation)	
111-30-8	glutaral; glutaraldehyde; 1,5-pentanedial	< 0.1 %
	203-856-5 605-022-00-X	
	Acute Tox. 2, Acute Tox. 3, Skin Corr. 1B, Resp. Sens. 1, Skin Sens. 1A, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 2; H330 H301 H314 H334 H317 H335 H400 H411 EUH071	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
111-30-8	203-856-5	glutaral; glutaraldehyde; 1,5-pentanedial	< 0.1 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: ATE = 100 mg/kg STOT SE 3; H335: >= 0,5 - < 5 M acute; H400: M=1	

Safety Data Sheet

according to UK REACH Regulation

Alphacool Apex Liquid Blue UV-aktiv

Revision date: 10.01.2022

Product code: 1021694

Page 2 of 6

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink 1 glass of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

Safety Data Sheet

according to UK REACH Regulation

Alphacool Apex Liquid Blue UV-aktiv

Revision date: 10.01.2022

Product code: 1021694

Page 3 of 6

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Heat transfer fluids

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
111-30-8	Glutaraldehyde	0.05	0.2		TWA (8 h)	WEL
		0.05	0.2		STEL (15 min)	WEL
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	WEL
57-55-6	Propane-1,2-diol, total vapour and particulates	150	474		TWA (8 h)	WEL

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
 Colour: blue
 Odour: neutral

Changes in the physical state

Melting point/freezing point: not determined
 Boiling point or initial boiling point and boiling range: 100 °C
 Flash point: >100 °C

Flammability

Solid/liquid: not applicable
 Gas: not applicable

Explosive properties

The product is not: Explosive.

Lower explosion limits: not determined
 Upper explosion limits: not determined

Self-ignition temperature

Solid: not applicable
 Gas: not applicable

Decomposition temperature: not determined

pH-Value: 8,9

Safety Data Sheet

according to UK REACH Regulation

Alphacool Apex Liquid Blue UV-aktiv

Revision date: 10.01.2022

Product code: 1021694

Page 4 of 6

Water solubility:	easily soluble
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density:	1,00 g/cm ³
Relative vapour density:	not determined

9.2. Other information

Information with regard to physical hazard classes

Oxidizing properties
The product is not: oxidising.

Other safety characteristics

Solid content:	not determined
Evaporation rate:	not determined

Further Information

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-30-8	glutaral; glutaraldehyde; 1,5-pentanedial				
	oral	ATE 100 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

Safety Data Sheet

according to UK REACH Regulation

Alphacool Apex Liquid Blue UV-aktiv

Revision date: 10.01.2022

Product code: 1021694

Page 5 of 6

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.
The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

- | | |
|---|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):
glutaral; glutaraldehyde; 1,5-pentanedial

Restrictions on use (REACH, annex XVII):

Entry 75

Safety Data Sheet

according to UK REACH Regulation

Alphacool Apex Liquid Blue UV-aktiv

Revision date: 10.01.2022

Product code: 1021694

Page 6 of 6

Information according to 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water hazard class (D):

3 - highly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

- CLP: Classification, labelling and Packaging
 - REACH: Registration, Evaluation and Authorization of Chemicals
 - GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 - UN: United Nations
 - CAS: Chemical Abstracts Service
 - DNEL: Derived No Effect Level
 - DMEL: Derived Minimal Effect Level
 - PNEC: Predicted No Effect Concentration
 - ATE: Acute toxicity estimate
 - LC50: Lethal concentration, 50%
 - LD50: Lethal dose, 50%
 - LL50: Lethal loading, 50%
 - EL50: Effect loading, 50%
 - EC50: Effective Concentration 50%
 - ErC50: Effective Concentration 50%, growth rate
 - NOEC: No Observed Effect Concentration
 - BCF: Bio-concentration factor
 - PBT: persistent, bioaccumulative, toxic
 - vPvB: very persistent, very bioaccumulative
 - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 - RID: Regulations concerning the international carriage of dangerous goods by rail
 - MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 - IBC: Intermediate Bulk Container
 - SVHC: Substance of Very High Concern
- For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Relevant H and EUH statements (number and full text)

- H301 Toxic if swallowed.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H330 Fatal if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)